



# Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

## Certificate

Chemistry, Microbiology, and Technical Services

CLIENT : Alaskan Copper Works

Certificate of Analysis

Work Order # 90-05-102

### TESTS PERFORMED AND RESULTS:

Analyte	Units	<u>01</u>
Chromium (Method 218.1)	mg/L	0.22
Copper (Method 220.1)	mg/L	0.13
Nickel (Method 249.1)	mg/L	2.7
Zinc (Method 289.1)	mg/L	0.042



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0014675

# **auks** 82 sting Laboratories, Inc.

South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services

CLIENT : Alaskan Copper Works

Certificate of Analysis

Work Order # 90-05-236

TESTS PERFORMED AND RESULTS:

Analyte	Units	<u>01</u>
Chromium (Method 218.1)	mg/L	0.30
Copper (Method 220.1)	mg/L	0.078
Nickel (Method 249.1)	mg/L	0.17
Zinc (Method 289.1)	mg/L	0.019



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0014676